

3. BILL OF QUANTITY

S. #	Items	Qty	Unit	Rate	Amount
1	Ground Floor Pantry Floor & Wall mounted Cabinets: Cabinet Specification: <ul style="list-style-type: none"> • Made up of 20 mm (¾") thick MDF laminated Sheet in approved color/shade of ZRK Brand or equivalent on top, sides, bottom, drawers, shelves, and shutters along with 1.5" thick x2.5" wide partial wood frame . • 6 mm thick marine ply at the back. • Box-type hinges of approved make. • 1mm TH. PVC Lipping finished with melamine of approved laminate on all the shutter edges. • 20 mm thick Dull White MDF laminated shelves, width & depth shall be as per drawing (approx./divided equally) • Complete with all necessary approved fittings hinges, locks of KHAS or equivalent, 150 mm Engraved handles, tower bolts, etc. 				
a	Floor mounted cabinets (Size: 5'-6" x 2'-6" x 2'-0" depth)	14.44	Sft	1300	18772/-
b	Wall mounted cabinets (Size: 5'-6" x 2'-1" x 1'-1" depth)	11.55	Sft	1300	15015/-
1	First Floor Meeting Room table (Size: 10'-0" x 4'-0" x 2'-6"): Providing and installation of Conference table consisting of MDF lamination sheets both sides (ZRK, Al-Noor or equivalent) of approved shade supported on MS powder coated pipes (2" x 2") frame with legs and glides for height adjustment. Complete with PVC lipping of matching texture on edges complete with SS wire ducting channels if required and all hardware/accessories.	1.00	No.	75000	75000/-
2	Tea table/Floor Cabinet (Size: 5'-0" x 1'-6" x 2'-6"): Cabinet Specification: <ul style="list-style-type: none"> • Made up of 20 mm (¾") thick MDF laminated Sheet in approved color/shade of ZRK Brand or equivalent on top, sides, bottom, shelves and shutters • 6 mm thick marine ply at the back • Box-type hinges of approved make • 1mm TH. PVC Lipping finished with melamine of approved laminate on all the shutter edges. • 20 mm thick MDF laminated shelves, width & depth shall be as per drawing (approx./divided equally) • Complete with all necessary approved fittings hinges, locks of KHAS or equivalent, • 150 mm long Engraved handles, tower bolts, etc. 	13.13	Sft	1300	17069

Akbar Hussain Kazmi
 Manager Finance (Payable)
 IBA Karachi

M. HARI QURESHI
 External Member - PC
 Procurement Specialist - HEJ
 University of Karachi

DR. SHAHID MIR
 Chairman - PC
 Assistant Professor - Management
 IBA Karachi



3	<p>FOR MANAGERS: Low height Partitions (For Managers - Semi Glazed): Providing and fixing in position partly glazed 5'-0" HT. Partition work as per drawing using partial wood frame work of 1.5 inch (thick) and 2 inch (wide) (horizontally and vertically) with 1' x 1' spacing with 20 mm MDF laminated sheets on both sides finished of approved shade and colour as shown in drawings. Item to include 5 mm thick glass of 1'-0" height with frosted paper both sides and fitted with 1.5" thick partial wood frame. 3.5" wide lipping of partial wood around all frame of partition. All exposed wood surfaces to be polished with approved shades as directed including all necessary fittings/hardware and wood preservative (termite proofing), laquer (ICI) or equivalent etc. as per list of approved material and/or as approved by the Engineer Incharge complete in all respects.</p>	336.00	Sft	950	319200/-
4	<p>Office Table (For Managers - Size: 4'-6" x 2'-0"): Fabricate & Supply Office Table with Top (4'-6" x 2' x 3/4"), MDF Laminated Sheet in approved color/shade of ZRK Brand or equivalent As per the attached Drawing & approved sample Table Specification: • Top: 4'-6" x 2' x 3/4" (thick) made of high-pressure both sides laminated (Tuff Formica) • 2 mm thick PVC lipping • Resting on 1.5" thick two legs from one side made of double MDF Lamination sheet of ZRK Brand or equivalent of approved color with necessary 3 mm partial wood lipping with polish work of approved colour & resting on Cabinet on the other side. • At Back: 2'-0" long MDF Laminated sheet attached with MS powder coated brackets of same color as MDF • Legs & Table Supports: Partial Wood frame shall be made with 2" x 1" thick planks for table support.</p>	4.00	Nos	29000	116000/-

Syed Akbar Hussain Kazmi
 Member - PC
 Manager Finance (Payable)
 IBA Karachi

M. HABIB DURESHI
 External Member - PC
 Procurement Specialist - HEJ
 University of Karachi

DR. SHAHID I
 Chairman - PC
 Assistant Professor - MA
 IBA Karachi



<p>5 Cradena (For Managers - Size 4'-6" x 1'-6" x 2'-1"): Cradena consisting of Drawers and shutters as shown in drawing. Cabinet Specification:</p> <ul style="list-style-type: none"> • Made up of 20 mm (¾") thick MDF laminated Sheet in approved color/shade of ZRK Brand or equivalent on top, sides, bottom, shelves, and shutters • 6 mm thick marine ply at the back • Box-type hinges of approved make • 1mm TH. PVC Lipping finished with melamine of approved laminate on all the shutter edges. • 20 mm thick MDF laminated shelves of same approved shade, width & depth shall be as per drawing (approx./divided equally) • Complete with all necessary approved fittings hinges, locks of KHAS, 150 mm long engraved handles, tower bolts, etc. 	<p>4.00</p>	<p>Nos</p>	<p>24000</p>	<p>96000/-</p>
<p>6 Wall Mounted Cabinets (For Managers - Size: 4'-6" x 2'-1" x 1'-1"): Cabinet Specification:</p> <ul style="list-style-type: none"> • Made up of 20 mm (¾") thick laminated MDF Sheet on top, sides, bottom, shelves, and shutters • 6 mm thick marine ply at the back • Box-type hinges of approved make • 1mm TH. PVC Lipping finished with melamine of approved laminate on all the shutter edges. • 20 mm thick MDF laminated shelves of 16" wide and dividers as per drawing (approx./divided equally) • Complete with all necessary approved fittings hinges, locks, 150 mm long engraved handles, tower bolts, etc. 	<p>39.31</p>	<p>Sft</p>	<p>1300</p>	<p>51,103/-</p>
<p>7 FOR STAFF: Low Height Partition with Worktop (For Staff): Providing and fixing in position 4'-0" HT. Wooden Partition work along with 16 mm thick Table top as per drawing using partal wood frame work of 1.5 inch (thick) and 2 inch wide (24" horizontally and 18" vertically) with 16 mm MDF laminated sheets of ZRK brand or equivalent on both sides finished of approved shade and colour as shown in drawings. The sides & bottom of table top shall be covered by</p>	<p>712</p>		<p>450</p>	<p>676400</p>

Syed Arshad Hussain Kazmi
 Member - PC
 Finance (Payable)
 Manager
 IBA Karachi

DR. SHAHID M...
 Chairman - PC
 Assistant Professor - Management
 IBA Karachi

MARIS QURESHI
 External Member - PC
 Procurement Specialist
 University of Karachi

Boent Trading Company
 Karachi




	<p>Partial wood frame to support. Provide 4" wide Aluminium skirting at the bottom of partition on both side. All exposed wood surfaces to be finished with wood lacquer polish and necessary beading (3mm thick Partial Wood) of approved shades as directed including all necessary fittings/hardware and wood preservative (Termite Proofing) etc. as per list of approved material and as approved by the Engineer Incharge complete in all respects.</p>				
8	<p>Office Table (For Staff - Size: 4'-6" x 2'-0"): Fabricate & Supply Office Table with Top (4'-6" x 2' x 3/4"), MDF Laminated Sheet in approved color/shade of ZRK Brand or equivalent As per the attached Drawing & approved sample Table Specification:</p> <ul style="list-style-type: none"> • Top: 4'-6" x 2' x 3/4" (thick) made of high-pressure both sides laminated (Tuff Formica) • 2 mm thick PVC lipping • Resting on 1.5" thick two legs from one side made of double MDF Lamination sheet of ZRK Brand of approved color with necessary 3 mm partial wood lipping with polish work of approved colour & resting on Cabinet on the other side. • At Back: 2'-0" long MDF Laminated sheet attached with MS powder coated brackets of same color as MDF • Legs & Table Supports: Partial Wood frame shall be made with 2" x 1" thick planks for table support. 	7.00	Nos	29000	203000/-
9	<p>Cradena (For Staff - Size 4'-6" x 1'-6" x 2'-1"): Cabinet Specification:</p> <ul style="list-style-type: none"> • Made up of 20 mm (3/4") thick MDF laminated Sheet in approved color/shade of ZRK Brand or equivalent on top, sides, bottom, shelves, and shutters • 6 mm thick marine ply at the back • Box-type hinges of approved make • 1mm TH. PVC Lipping finished with melamine of approved laminate on all the shutter edges. • 20 mm thick MDF laminated shelves of same approved shade, width & depth shall be as per drawing (approx./divided equally) • Complete with all necessary approved fittings hinges, locks of KHAS, • 150 mm long engraved handles, tower bolts, etc. 	7.00	Nos	24000	168000/-

Syed Akbar Hussain Kazmi
 Member - EC
 Manager Finance (Private)
 IBA Karachi

M. HAKIS QURESHI
 External Member - EC
 Procurement Specialist
 University of Karachi

DR. SHAHID MIRZA
 Chairman - EC
 Assistant Professor - Management
 IBA Karachi



<p>10</p>	<p>Mobile Cabinet (For Staff - Size: 1'-4" x 1'-8" x 2'-4"): Cabinet Specification:</p> <ul style="list-style-type: none"> • Made up of 20 mm (¾") thick MDF laminated Sheet in approved color/shade of ZRK Brand or equivalent on top, sides, drawers, bottom, shelves, and shutters • 6 mm thick marine ply at the back • Box-type hinges of approved make • 1mm TH. PVC Lipping finished with melamine of approved laminate on all the shutter edges. • 20 mm thick MDF laminated shelves, width & depth shall be as per drawing (approx./divided equally) • Complete with all necessary approved fittings hinges, locks of KHAS, • 150 mm long engraved handles, tower bolts, etc. 	<p>21.00</p>	<p>Nos</p>	<p>11500</p>	<p>241500/-</p>
<p>11</p>	<p>Wall Mounted Cabinets (For Staff) Size-1 : 15'-6" x 2'-1" x 1'-1" x 3 Nos. Size-2: 4'-6" x 2'-1" x 1'-1" x 4 Nos. Cabinet Specification:</p> <ul style="list-style-type: none"> • Made up of 20 mm (¾") thick laminated MDF Sheet on top, sides, bottom, shelves, and shutters • 6 mm thick marine ply at the back • Box-type hinges of approved make • 1mm TH. PVC Lipping finished with melamine of approved laminate on all the shutter edges. • 20 mm thick MDF laminated shelves of 16" wide and dividers as per drawing (approx./divided equally) • Complete with all necessary approved fittings hinges, locks, 150 mm long engraved handles, tower bolts, etc. 	<p>140.87</p>	<p>Sft</p>	<p>1300</p>	<p>183131/-</p>

Sp. Akbar Hussain Kazmi
 Member - Procurement
 Manager Finance (Payable)
 IBA Karachi

M. HARI QURESHI
 External Member - Procurement
 Specialist
 University of Karachi

DR. SHAHID MIK
 Chairman - PC
 Assistant Professor - Management
 IBA Karachi



12	Floor Mounted Cabinets (Size: 4'-6" x 1'-3" x 8'-0"): Cabinet Specification: <ul style="list-style-type: none"> • Made up of 20 mm (¾") thick MDF laminated Sheet in approved color/shade of ZRK Brand or equivalent on top, sides, bottom, shelves, and shutters • 6 mm thick marine ply at the back • Box-type hinges of approved make • 1mm TH. PVC Lipping finished with melamine of approved laminate on all the shutter edges. • 20 mm thick MDF laminated shelves, width & depth shall be as per drawing (approx./divided equally) • Complete with all necessary approved fittings hinges, locks of KHAS, • 150 mm long engraved handles, tower bolts, etc. 	113.40	Sft	1300	147420
Total				= 2327,610/-	
GST				= 418,970/-	
Grand Total Amount				= 2746580/-	

Grand Total Amount Rupees (in words) Two millions

Seven Hundred Forty Six Thousand

Five Hundred Eighty only

DR. SHAHID MUK
 Chairman - PC
 Assistant Professor - Manager
 IBA Karachi

Syed Akbar Hussain Kazmi
 Member - PC
 Manager Finance (Payable)
 IBA Karachi



M. HARIS QURESHI
 External Member - PC
 Procurement Specialist - HEJ
 University of Karachi



Stamp & Signature