



M3600B

Router

12 mm (1/2") 1,650 W Plunge Router

- High performance and durability at less expense
- Powerful 1,650 W motor delivers 22,000 RPM for the most demanding applications
- 0-60 mm (0-2-3/8") plunge depth capacity for easy penetration into workpiece
- Ergonomically contoured knob style handles with Soft grip
- Quick release plunge depth adjustment along with 3 preset depth stops for added precision
- Ergonomic rubberized handles designed for better fit and added comfort
- Conveniently located plunge lock lever for efficient operation
- Shaft lock requires one wrench to change bits
- Chip deflector protects operator from flying chips and debris
- Can be placed upside down when replacing accessories or not in use
- Can be connected to dust extraction system with optional dust nozzle
- Externally accessible brushes for easy serviceability
- Double insulated







Drill Driver CXT® DF333D

 - 2 Available version

12V max • 30 Nm • 0 – 1 700 min⁻¹

Light tool for drilling and screwdriving

A compact tool for drilling and screwdrivers for fitters and maintenance staff and for home use. Thanks to its small size, the tool is easy to use and offers access to tight places. A max. torque of 30 / 14 Nm and two speed ranges.

PDF





M1902B

Planer

82 mm (3-1/4") 580 W Planer



- High performance and durability at less expense
- Sharp line on grip and sharp-cut design housing
- Ergonomically designed handle fits your hand perfectly to provide maximum comfort and control
- Planes up to 82 mm (3-1/4") wide and 1 mm (1/32") deep in a single pass
- Shiplapping cuts up to 9 mm (11/32")
- Two-blade cutter head with 16,000 RPM delivers smooth finish and fast stock removal
- Base plate foot protects workpiece and blades from scratches and damages
- V-groove on base for easy chamfer cutting
- Compact design at only 285 mm (11-1/4") long
- European specification unit is available with Dust nozzle for use with vacuum cleaner
- Large, conveniently located depth setting knob for easy adjustment
- Lock-on button for continuous use operation (country-specific)
- Lock-off button for operator safety (country-specific)
- Aluminum diecast bracket for high durability and long tool life
- Guide rule for accurate and maximum use of planing width
- Double insulated





M0600B

Drill

10 mm (3/8") 400 W Variable Speed Reversing Drill with Keyed Chuck

- High performance and durability at less expense
- Variable speed trigger allows operator to adjust speed based on materials or application
- Powerful 400 W motor for continuous operation
- In-line positive grip design maximises power thrust
- Compact and lightweight for reduced operator fatigue
- Recessed lock-on button for continuous use
- Reversing switch lever is conveniently located
- Double insulated

Share On :





M9513B

Angle Grinder



100 mm (4") 850 W Angle Grinder, Toggle Switch

- High performance and durability at less expense
- Powerful 850 W motor delivers 11,000 RPM for the most demanding applications
- Machined bevel gears provide longer service life
- Spiral bevel gears for smoother rotations and a more efficient transfer of energy
- Ergonomically designed handle with sure grip
- Compact and lightweight for high production work with less fatigue
- Side grip can be installed on either side of the tool for operator convenience
- Toggle switch for easy operation
- Wheel cover protects operator from accidental scattering of broken wheel or workpiece with minimal wheel cover movement
- Shaft lock for easy wheel changes
- Double insulated

Share On :

